COIN & CARD-OPERATED

Dryers

SDE107 SDEA07
SDG109 SDGA09
SDET07 SDEB07
SDGT09 SDGB09
SDEX07 SDEF07
SDGX09 SDGF09
SDEY07
SDGY09

Huebsch®

Built Better To Last Longer

Huebsch®

As America's largest commercial laundry equipment manufacturer, Speed Queen stands for innovation. As a leader in laundry technology, our electronically controlled laundry units for coin and card operation will provide you with quality, efficiency, convenience, and flexibility well into the 21st century. Since 1908 we have been committed to our tradition of quality products, backed by superior customer service.

NetMaster™ System

Speed Queen's NetMaster™ System of technologically advanced laundry products offers more flexibility and accountability benefits than you ever thought possible. Now you can program vend prices, cycle times, rinse options, and cycle selections while auditing machine operation simply by touching a series of control pads.

There are three options available to program your laundry machines: manually, Micro-Wand IIIE™ and network with NetMaster™ models. Whatever your needs, Speed Queen has the right option for you. It's almost like having a dryer built to your specifications. Your customers will be amazed at how easy and convenient it is to launder garments. Satisfied customers translate into profits for you.

CardMate™ Plus System

Speed Queen introduces a revolution in laundry room convenience, accountability and profitability.

The CardMate™ Plus System offers the industry's first commercial washers and dryers with factory-installed smart card reader controls on individual laundry units for cashless operation.

Both you and your customers will benefit from the convenience of CardMate™ Plus.

Dryers



High Security System

Vandals won't care to risk the time, energy, and noise required to break into Speed Queen's redesigned dryer. Our innovative meter case design contains 40% more solid metal with a new double-wrapped metal front, making it twice as hard to break into. A sturdy metal plate and heavy-duty bolts reinforce the security of Speed Queen's enhanced meter case to the top of the dryer. Our new coin drop is now available on our complete line of electronically controlled equipment. Its all-metal design reduces coin jamming and provides superior coin validation.

7.0 Cubic Foot (201 liters) Cylinder Capacity

The large cylinder capacity provides increased tumble action and superior handling of permanent press fabrics. It accommodates the largest loads for greater customer satisfaction.

Large Door Opening

Our dryer door opening is 2.06 sq. ft. (1914 sq. cm.), the largest in the industry. Makes loading and unloading even easier.

Front Serviceability

Our 2-piece front panel increases ease of service. Motor, blower, heating element, gas valve and thermostats can be serviced through the lower panel without disconnecting the door switch. Front panels for gas and electric are the same, reducing service parts inventory.

Large Upfront Lint Filter

Convenient to reach and easy to clean, this lint filter is positioned so that customers will not be bothered by it and clothing will not fall into it.

Control Options

Fully programmable NetMaster™ control

Micro-DISPLAY Control (MDC)

Our advanced NetMaster™ and Micro-DISPLAY Control (MDC) makes it easy for customers to locate the vend price, cycle selections, cycle status and remaining cycle time. Customers will appreciate knowing the status of their laundry, and the ability to be more efficient with their time.



Mechanical control

Our electro-mechanical control offers fabric selector options, along with a light indicating when the dryer is in use.

Activation Options

Coin Drop

Speed Queen offers many activation options to meet your specific market needs.

Dual Coin Drop

The coin drop with its all-metal design, reduces coin jamming and provides superior coin validation.

Dual coin drop options are available for various coin denominations.

Card Activated

The CardMate Plus™ system offers the convenience and safety of a cashless operation.

Coin Slide

Coins slides offer simple, dependable operation.

Dryer Specifications

	SDE107* SDG109*	SDEA07, SDET07,* SDEX07 SDGA09, SDGT09,* SDGX09 SDEB07, SDGB09	SDEF07, SDEY07 SDGF09, SDGY09
Control - in (mm)	E-mech/Coin	MDC/NetMaster/Coin	MDC/NetMaster/Card
Width - in (mm)	26 7/8" (683)	26 7/8" (683)	26 7/8" (683)
Depth - in (mm)	28" (711)	28" (711)	28" (711)
Height - in (mm) (To Work Surface)	43" (1092) 36" (914)	43" (1092) 36" (914)	43" (1092) 36" (914)
Cylinder Volume - cu. ft. (liters)	7.0 (201)	7.0 (201)	7.0 (201)
Motor HP	60 Hz: 1/3 HP, 5.5 amps 50 Hz: 1/3 HP, 3.0 amps	60 Hz: 1/3 HP, 5.5 amps 50 Hz: 1/3 HP, 3.0 amps	60 Hz: 1/3 HP, 5.5 amps
Motor rpm	60 Hz: 1725 rpm 50 Hz: 1425 rpm	60 Hz: 1725 rpm 50 Hz: 1425 rpm	60 Hz: 1725 rpm
Btu Per Hour	25,000 (6,300 kcal)	25,000 (6,300 kcal)	25,000 (6,300 kcal)
Heating Element (Electric)	**60 Hz:** 5350 Watts, 240 volt. Also 4750; 208 volt. **50 Hz:** 4800 Watts, 230 volt.	**60 Hz:** 5350 Watts, 240 volt. Also 4750; 208 volt. **50 Hz:** 4800 Watts, 230 volt.	**60 Hz:** 5350 Watts, 240 volt. Also 4750; 208 volt. **50 Hz:** 4800 Watts, 230 volt.
Type of Gas (Gas models only)	Factory-equipped for natural/mixed gas. Convertible to LP gas.†	Factory-equipped for natural/mixed gas. Convertible to LP gas.†	Factory-equipped for natural/mixed gas. Convertible to LP gas.†
Utility Connections - NPT (mm)	3/8" (9.5)	3/8" (9.5)	3/8" (9.5)
Air Outlet Diameter - in (mm)	4" (102)	4" (102)	4" (102)
Exhaust Air Flow* ** - cfm (liters/sec.) (Approx.)	220 (105)	220 (105)	220 (105)
Maximum Exhaust **Static Back Pressure**	60 Hz: 0.6" W.C. 50 Hz: 0.4" W.C.	60 Hz: 0.6" W.C. 50 Hz: 0.4" W.C.	60 Hz: 0.6" W.C.
Electrical **Specifications** **Circuit** **Requirements**	Electric: 120/240/60/1 30 amp 120/208/60/1 30 amp 230/50/1 30 amp Gas: 120/60/1 15 amp 230/50/1 10 amp	Electric: 120/240/60/1 30 amp 120/208/60/1 30 amp 230/50/1 30 amp** Gas: 120/60/1 15 amp 230/50/1 10 amp**	Electric: 120/240/60/1 30 amp 120/208/60/1 30 amp Gas: 120/60/1 15 amp
Colors	White, Bisque	White, Bisque	White
Net Weight - lb. (kg) (Approx.)	Electric: 140 (64) Gas: 145 (66)	Electric: 140 (64) Gas: 145 (66)	Electric: 130 (58) Gas: 135 (61)
Shipping Weight - lb. (kg)	Electric: 150 (68) Gas: 155 (70)	Electric: 150 (68) Gas: 155 (70)	Electric: 140 (64) Gas: 145 (66)
Agency Approvals	Electric Models: UL Gas Models: CSA Star	Electric Models: UL Gas Models: CSA Star	Electric Models: UL Gas Models: CSA Star

† IMPORTANT: Any product revisions or conversions must be made by the Manufacturer's Authorized Dealers, Distributors, or local service personnel.

* Available in Bisque color.

** SDEX07 and SDGX09 only.

*** Measured at point of exit from dryer.

Due to continuous product improvements, design and specifications are subject to change without notice. Features and certifications may vary by model. The quality management systems at all Alliance Laundry Systems facilities are registered as ISO 9001:2000 compliant.

©Copyright 2004 Alliance Laundry Systems LLC

Huebsch
Alliance Laundry Syste